

AdderLink LPV – Adder – VGA Video Extender über CATx bis zu 150 Meter



DESCRIPTION:

The AdderLink LPV Digital Signage Extender is possibly the easiest to install point to point extender available today. In addition to its simplicity the LPV Extender also delivers fantastic quality video up to 150 meters away.

FEATURES:

Video Performance

Full HD 1080p, 1080i and 720p with distance up to 150 meters.

Line Power

To help reduce cable clutter, the Adder Link LPV has been designed to be powered by a USB port on your computer and this power is also transmitted alongside the video over CA Tx cable, in turn powering your receiver unit.

Absolute simplicity

Getting into professional Digital Signage has never been so easy - simply plug the transmitters VGA port into your computer and plug in the USB port, then plug the receiver unit into your screen. Finally, connect the two units together with a length of CATx cable and you are done. Now start delivering your message to customers, visitors, staff or whoever you wish.

Advanced DDC Protocol

Unless an extender actively supports DDC (Dynamic Data Channel), some well-known high performance video cards cannot be used at high resolution. The AdderLink LPV fully supports DDC.

Fit and Forget

Adder Digital Signage products are the professional choice because they give you the ability to deliver, fit and forget installations. The LPV is no exception. Rigorously tested in Adder's technology labs, so you can buy with real confidence.

Targeted Messages

Targeting messages to specific areas of your business is perfectly simple too. By using a multihead graphics card, you can deliver different messages around your installation with minimal additional investment.

Choosing your signage technology

There are many types of signage technology available on the market, from small players which sit alongside the screen to streaming MPEG around large bandwidth networks. Adder's solution is based upon reliability, quality and simplicity. The three qualities most requested by professional users.

Delivery of content over CATx cable is by far the simplest and the safest way to deliver your message, requiring minimal disruption to install. CATx cable can be routed invisibly to your screens.

Line extension solutions simply allow you everything to keep tidy and easy to use by locating the computer almost anywhere you like

SPECIFICATION:

Video Resolution

Up to 1080p HD video resolution including 1080i & 720p

Extension Distance

Up to 150m

O/S Compatability

Operating system independent

Connectors (local / remote)

Local end: VGA, USB (for power) RJ45 Remote end: VGA

Physical

Transmitter: High impact injection moulding: 45mm (w), 63 mm (l), 21mm (d) - excluding cables. Receiver: High impact injection moulding: 45mm (w), 63 mm (l), 21mm (d) - excluding cables.

Power

Local interface powered, via USB.

Operating temperature

0-40 Deg C

Approvals

CE, FCC

Order Codes

X-LPV-EURO

